

1.1 – Systems architecture		C&D	Rev Guide
1.1.1 Architecture of the CPU			
The purpose of the CPU:		Open	p2
The fetch-execute cycle		Open	p3
Common CPU components and their function:		Open	p2
o ALU (Arithmetic Logic Unit)		^	p2
o CU (Control Unit)		^	p2
o Cache		^	p2
o Registers		^	p3
Von Neumann architecture:		Open	p3
o MAR (Memory Address Register)		^	p3
o MDR (Memory Data Register)		^	p3
o Program Counter		^	p3
o Accumulator		^	p3
1.1.2 CPU performance			
How common characteristics of CPUs affect their performance:		Open	p5
o Clock speed		^	p5
o Cache size		^	p5
o Number of cores		^	p5
1.1.3 Embedded systems			
The purpose and characteristics of embedded systems		Open	p1
Examples of embedded systems		Open	p1

1.2 – Memory and storage		C&D	Rev Guide
1.2.1 Primary Storage (Memory)			
The need for primary storage		Open	p4
The difference between RAM and ROM		Open	p4
The purpose of ROM in a computer system		Open	p4
The purpose of RAM in a computer system		Open	p4
Virtual memory		Open	p4
1.2.2 Secondary storage			
The need for secondary storage		Open	p6
Common types of storage:		Open	p6

o Optical	^	p7
o Magnetic	^	p6
o Solid state	^	p6
Suitable storage devices and storage media for a given application	Open	p6-7
The advantages and disadvantages of different storage devices and storage media relating to these characteristics:	-	p6-7
o Capacity	-	p6-7
o Speed	-	p6-7
o Portability	-	p6-7
o Durability	-	p6-7
o Reliability	-	p6-7
o Cost	-	p6-7

1.2.3 Units

The units of data storage:	Open	p12
o Bit	^	p12
o Nibble (4 bits)	^	p12
o Byte (8 bits)	^	p12
o Kilobyte (1,000 bytes or 1 KB)	^	p12
o Megabyte (1,000 KB)	^	p12
o Gigabyte (1,000 MB)	^	p12
o Terabyte (1,000 GB)	^	p12
o Petabyte (1,000 TB)	^	p12
How data needs to be converted into a binary format to be processed by a computer	Open	p13
Data capacity and calculation of data capacity requirements	Open	p19, p20

1.2.4 Data storage

Numbers	-	p13
How to convert positive denary whole numbers to binary numbers (up to and including 8 bits) and vice versa	Open	p13
How to add two binary integers together (up to and including 8 bits) and explain overflow errors which may occur	Open	p14
How to convert positive denary whole numbers into 2-digit hexadecimal numbers and vice versa	Open	p16
How to convert binary integers to their hexadecimal equivalents and vice versa	-	p17
Binary shifts	Open	p15
Characters	Open	p18
The use of binary codes to represent characters	Open	p18
The term 'character set'	Open	p18

The relationship between the num of bits per character in a character set, and the number of characters which can be represented	Open	p18
o ASCII	^	p18
o Unicode	^	p18
Images	Open	p19
How an image is represented as a series of pixels, represented in binary	^	p19
Metadata	^	p19
The effect of colour depth and resolution on:	^	p19
o The quality of the image	^	p19
o The size of an image file	^	p19
Sound	Open	p20
How sound can be sampled and stored in digital form	^	p20
The effect of sample rate, duration and bit depth on:	^	p20
o The playback quality	^	p20
o The size of a sound file	^	p20
1.2.5 Compression		
The need for compression	Open	p21
Types of compression:	^	p21
o Lossy	^	p21
o Lossless	^	p21

1.3 – Computer networks, connections and protocols	C&D	Rev Guide
1.3.1 Networks and topologies		
Types of network:	Open	p23
o LAN (Local Area Network)	^	p23
o WAN (Wide Area Network)	^	p23
Factors that affect the performance of networks	Open	p23
The different roles of computers in a client-server and a peer-to-peer network	Open	p25
The hardware needed to connect stand-alone computers into a Local Area Network	Open	p24
o Wireless access points	^	p24
o Routers	^	p24
o Switches	^	p24
o NIC (Network Interface Controller/Card)	^	p24
o Transmission media	^	p24

The Internet as a worldwide collection of computer networks:	Open	p29
o DNS (Domain Name Server)	^	p29
o Hosting	^	p29
o The Cloud	^	p29
o Web servers and clients	^	p29
Star and Mesh network topologies	Open	p26
Modes of connection:	Open	p24
o Wired: Ethernet	^	p24
o Wireless: Wi-Fi, Bluetooth	^	p24
Encryption	Open	p10
IP addressing and MAC addressing	Open	p27
Standards	Open	p28
Common protocols including:	Open	p28
o TCP/IP (Transmission Control Protocol/Internet Protocol)	^	p28
o HTTP (Hyper Text Transfer Protocol)	^	p28
o HTTPS (Hyper Text Transfer Protocol Secure)	^	p28
o FTP (File Transfer Protocol)	^	p28
o POP (Post Office Protocol)	^	p28
o IMAP (Internet Message Access Protocol)	^	p28
o SMTP (Simple Mail Transfer Protocol)	^	p28
The concept of layers	Open	p28

1.4 – Network security	C&D	Rev Guide
1.4.1 Threats to computer systems and networks		
Forms of attack:		
o Malware	Open	p30
o Social engineering, e.g. phishing, people as the ‘weak point’	^	p31
o Brute-force attacks	^	p30
o Denial of service attacks	^	p30
o Data interception and theft	^	p30
o The concept of SQL injection	^	p31
1.4.2 Identifying and preventing vulnerabilities		
Common prevention methods:	Open	p32

	o Penetration testing	^	p32
	o Anti-malware software	^	p32
	o Firewalls	^	p32
	o User access levels	^	p32
	o Passwords	^	p32
	o Encryption	^	p32
	o Physical security	^	p32

1.5 – Systems software	C&D	Rev Guide
1.5.1 Operating systems		
The purpose and functionality of operating systems:	Open	p9
o User interface	Open	p9
o Memory management and multitasking	Open	p9
o Peripheral management and drivers	^	p9
o User management	^	p9
o File management	^	p9
1.5.2 Utility software		
The purpose and functionality of utility software	Open	p10
Utility system software:	^	p10
o Encryption software	^	p10
o Defragmentation	^	p10
o Data compression	^	p10

1.6 – Ethical, legal, cultural and environmental impacts of digital technology	C&D	Rev Guide
1.6.1 Ethical, legal, cultural and environmental impact		
Impacts of digital technology on wider society including:	Open	p34
o Ethical issues	Open	p34-37
o Legal issues	^	p34-37
o Cultural issues	Open	p37
o Environmental issues	Open	p38
o Privacy issue	Open	p35
Legislation relevant to Computer Science:	Open	p39
o The Data Protection Act 2018	^	p39

	o Computer Misuse Act 1990	^	p39
	o Copyright Designs and Patents Act 1988	^	p39
	o Software licences (i.e. open source and proprietary)	^	p40